

7/57/5

© Ralph Lermann/NPO/NOS/AVROTROS



SIRIUS HRI[®]


Spectacular, every time

osram.com/entertainment

Distributed by:
AMLUX s.r.l.

46042 Castel Goffredo (MN)
info@amlux.it - www.amlux.it

amlux **OSRAM**



SIRIUS HRI® lamp types

Product	EAN10	W	lm	K	R _a	t [h]	l [mm]	W [mm]	No.
● SIRIUS HRI® 100W	4052899329119	100	3680	9000	60	6000	53	45	1
● SIRIUS HRI® 132W	4052899028708	132	5150	9200	60	6000	44	46	2
● SIRIUS HRI® 140W RO	4052899258969	140	5400	9200	60	6000	44	46	2
● SIRIUS HRI® 190W +	4008321866592	190	8100	8200	73	3000	54.5	51	3
● SIRIUS HRI® 230W	4008321810311	230	9500	8000	75	2500	54.5	51	3
● SIRIUS HRI® 230W PRO		230	10500	7800	77	6000	54.5	51	3
● SIRIUS HRI® 231W	4052899553521	230	10800	7900	75	2000	54.5	51	3
● SIRIUS HRI® 251W	4062172212458	250	11800	7890	78	3000	54	51	5
● SIRIUS HRI® 260W PRO	4062172063470	260	10500	7800	77	6000 ¹⁾	58	51	2
● SIRIUS HRI® 280W	4008321810342	280	11500	7800	78	2000	54.5	51	3
● SIRIUS HRI® 280W RO	4052899110397	280	11500	7800	78	2000	54.5	51	3
● SIRIUS HRI® 281W	4052899553552	280	13000	7800	78	2000	54.5	51	3
● SIRIUS HRI® 295W	4062172283304	280	14000	8000	77	2500	57	50.8	3
● SIRIUS HRI® 310W	4062172202169	310	15300	7800	83	2500	56	51	3
● SIRIUS HRI® 310W PRO	4062172169424	310	15200	8000	85	6000 ¹⁾	72	58	10
● SIRIUS HRI® 310W S PRO	4062172169455	310	16200	8000	85	6000 ¹⁾	72	58	10
● SIRIUS HRI® 311W	4062172085281	310	16200	8000	85	1500	72	58	10
● SIRIUS HRI® 330W	4008321810373	330	18000	7400	86	1500	63	56	4
● SIRIUS HRI® 330W XL	4052899195431	330	16500	7250	71	1500	63	56	5
● SIRIUS HRI® 330W X8	4052899140295	330	18000	8000	85	1500	66	58	6
● SIRIUS HRI® 370W LL	4062172056816	370	20000	7750	84	6000 ¹⁾	72	58	7
● SIRIUS HRI® 371W	4052899558649	370	18300	7650	85	1500	72	58	7
● SIRIUS HRI® 371W S	4052899558618	370	20000	7650	85	1500	72	58	10
● SIRIUS HRI® 371W +	4062172110341	370	19000	7700	85	3000	72	58	10
● SIRIUS HRI® 371W S +	4062172110396	370	20000	7700	85	3000	72	58	10
● SIRIUS HRI® 380W PRO	4062172168625	380	20000	7700	85	6000 ¹⁾	72	58	10
● SIRIUS HRI® 380W S PRO	4062172168335	380	20000	7700	85	6000 ¹⁾	72	58	10
● SIRIUS HRI® 381W		380	18000	7850	83	2500	72	58	10
● SIRIUS HRI® 381W S	4062172226240	380	19600	7850	83	2500	72	58	10
● SIRIUS HRI® 382W	4062172047135	380	19600	7600	85	2500	72	58	10
● SIRIUS HRI® 382W S	4062172033541	380	20600	7650	85	2500	72	58	10
● SIRIUS HRI® 420W L	4062172192750	420	18500	7600	81	2500	72	58	10
● SIRIUS HRI® 420W S	4062172192705	420	20500	7700	85	2500	72	58	10
● SIRIUS HRI® 440W	4052899259096	440	22000	7000	80	1500	71	58	7
● SIRIUS HRI® 440W +	4062172348874	440	20800	7700	80	1500	72	58	7

>>>

■ PRO
 ■ CORE
 ■ VALUE
 ■ CUSTOMIZED


1) In long-life mode, the operational conditions utilize extreme dimming (ED) periods during shutter-closed phases, effectively extending the product's lifetime. It's important to note that consistently operating at full power may lead to a reduction in overall lifespan.

Distributed by:

AMLUX s.r.l.

46042 Castel Goffredo (MN)

info@amlux.it - www.amlux.it



SIRIUS HRI® lamp types

Product	EAN10	W	lm	K	R _a	t [h]	l [mm]	W [mm]	No.
● SIRIUS HRI® 440W S	4052899329140	440	22800	7000	80	1500	71	58	7
● SIRIUS HRI® 440W H	4052899576735	440	18000	7500	80	1500	60	65	11
● SIRIUS HRI® 440W X	4062172017442	440	22000	7000	80	1500	71	68	11
● SIRIUS HRI® 461W	4052899553613	460	23000	7500	80	1500	71	58	7
● SIRIUS HRI® 461W S	4052899553583	460	23800	7500	80	1500	71	58	7
● SIRIUS HRI® 462W	4062172302128	460	21300	7900	83	2000	72	58	7
● SIRIUS HRI® 470W	4062172169332	470	23500	7700	80	1500	71	58	7
● SIRIUS HRI® 470W RO	4052899477018	470	19500	7500	80	1500	67	60	10
● SIRIUS HRI® 470W S	4052899580985	470	24500	7800	80	1500	71	58	7
● SIRIUS HRI® 470W XL	4062172017473	470	21500	7500	80	1500	58	54	3
● SIRIUS HRI® 471W SN	4062172040358	470	23900	7500	80	1500	68	60	9
● SIRIUS HRI® 482W	4062172049702	480	23000	7500	80	1500	72	58	10
● SIRIUS HRI® 482W XS	4062172049726	480	24800	7500	80	1500	72	58	10
● SIRIUS HRI® 550W	4062172078122	550	25800	7700	80	1500	71	58	7
● SIRIUS HRI® 550W XL	4062172078153	550	23800	7500	80	1500	58	54	7
● SIRIUS HRI® 580W F	4062172085267	550	25000	7700	80	1500	68	65	10

■ PRO

■ CORE

■ VALUE

■ CUSTOMIZED

ams OSRAM Group
ams-osram.com

OSRAM GmbH
Marcel-Breuer-Strasse 4
80807 Munich, Germany
Phone +49 89-6213-0
Fax +49 89-6213-2020
www.osram.com



Distributed by:
AMLUX s.r.l.

46042 Castel Goffredo (MN)
info@amlux.it - www.amlux.it

amlux OSRAM