




GE  
Lighting



648  
kWh/1000h

C  
energy class

26  
lumens/watt

## Single Ended Halogen CP23 230-240V

# 88455

### Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

### Application areas



Film and Broadcast



Theatre



## Product data

Light Center Length [mm]	55
Product Code	88455
Bulb Shape	Tubular
Bulb Diameter [mm]	25
Maximum Overall Length [mm]	105
Net weight per piece [g]	40
Gross weight per piece [g]	150
Brand	General Electric (GE)
Cap/Base	GX9.5

## Performance data

Weighted energy consumption [kWh/1000h]	647.62
Energy efficiency class (EEC)	C
Rated Life [h]	100
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	16900
Colour Rendering Index (CRI) [Ra]	100

## Electrical data

Coil type	C-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	650
Nominal lamp voltage [V]	240

## Logistic data

DUN Code	10043168884553
EAN Code	0043168884556
Pack Quantity	12
Inner pack type	BOX
Outer pack type	OUTER BOX
Pallet quantity EUR (PC)	1152
Pallet quantity UK (PC)	1440
Outer case size	190 x 350 x 126 (mm)