

## PAR56 LED PAR56 LED RGB 0060540



### Features

- PAR56 LED swimming pool lamps. High power up to 2000lm and RGB version. Optional Sylvania remote control and receiver available.



### NOTES

undefined

### TECHNICAL INFORMATION

IPC Code	0060540
Product name	PAR56 LED RGB
Technology	LED
Type	PAR 56
Cap/Base	Screw Terminal
Fixture rating	Closed
Environment	Outdoor
General application	Hospitality, Residential & Consumer, Retail
Certifications	00
ETIM Class	EC001959
E-number Svezia	8290020
Luminous flux (lm)	300
L.O.R. (%)	100
Color temperature	RGB
Beam Angle (°)	40
Nominal Power (W)	12
Power (W)	12
Type of transformer	Halogen transformer
Average life (Nominal) (h)	25000
IP rating	IP68
Product EAN number	5410288605401

### TECHNICAL DETAILS

#### General data

IPC Code	0060540
Product name	PAR56 LED RGB
Technology	LED

## PAR56 LED

PAR56 LED RGB  
0060540

Type	PAR 56
Cap/Base	Screw Terminal
Fixture rating	Closed
Environment	Outdoor
General application	Hospitality,Residential & Consumer,Retail
Operating temperature range (°C)	-10°C to +55°C
Certifications	00
ETIM Class	EC001959
E-number Svezia	8290020

### Optical data

Luminous flux (lm)	300
Temperature for luminous flux max (°C)	25
L.O.R. (%)	100
Colour Temperature	RGB
Colour Code	N/A
Adjustable colour	N
Beam Angle (°)	40

### Electrical data

Nominal Power (W)	12
Power (W)	12
Voltage (V)	12V
Type of transformer	Halogen transformer
Transformer required	Yes
Drive current (mA)	1667
Lamp Energy Label (class)	A

### Lifetime

Average life (Nominal) (h)	25000
----------------------------	-------

### Dimension

IP rating	IP68
Nominal width (mm)	105
Max. Lamp Diameter (mm) - D	175
Weight (Kg)	0.552
Recessed Depth (mm)	10

### Packaging

Type of single packaging	Carton
Product EAN number	5410288605401
Packaging single length (mm)	15.0
Packaging single width (cm)	15.0
Packaging single depth (cm)	16.3
DUN14 (outer)	15410288605408
Masterbox quantity	6
Packaging outer length / height (cm)	46.5


## PAR56 LED PAR56 LED RGB 0060540

Packaging outer width (cm)	31.5
Packaging outer depth (cm)	18.3


### Security data

End of life raccomandation	Not Applicable
Lamps for special application	Si
Use	For underwater use only.
Household lighting use	No
Security message	Not suitable for household

## PHOTOMETRIC DATA



## TECHNICAL DRAWS



PAR56 LED  
PAR56 LED RGB  
0060540

