



530

kWh/1000h

B

energy class

26

lumens/watt

Double Ended Quartzline

TU FDF Q500T3/4CL MIH

23735


Product information

Precision range of double ended Quartzline® lamps widely used in theatre and many other applications. A range from 350 W to 2,000 W with 3200K.

Application areas



Theatre



Product data

Product Code	23735
Bulb Shape	Double Ended
Bulb Diameter [mm]	10
Maximum Overall Length [mm]	119.1
Net weight per piece [g]	9
Gross weight per piece [g]	29
Brand	GE Lighting
Cap/Base	R7s

Performance data

Rated Lumens [lm]	13250
Weighted energy consumption [kWh/1000h]	530
Energy efficiency class (EEC)	B
Rated Life [h]	400
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	13250
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Rated power [W]	500.0
Coil type	C-8
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	500
Nominal lamp voltage [V]	120

Logistic data

DUN Code	00043168237352
EAN Code	0043168237352
Pack Quantity	12
Layer quantity	564 EUR, 672 UK
Layer quantity EUR	564
Layer quantity UK	672
Pallet quantity EUR (PC)	2820
Pallet quantity UK (PC)	3360
Outer case size	157 x 123 x 171 (mm)
Product status	Available

Distributed by AMLUX srl, 46042, Castel Goffredo (MN), info@amlux.it, www.amlux.it



Tungram is a registered trademark of
Tungram Operations Kft.

tungram.com

We in Tungram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungram cannot accept any liability arising from the reliance on such data to the extent permitted by law.