


NATIONAL FLAG PROJECTION



The projection of national flag with gobos are a modern and efficient alternative to traditional fixtures and filters. The customized Gobos that you can see above are discs in borosilicate DICROIC GLASS (tempered) used to project images, texts, logos and abstract figures. They work like slides but have the advantage of resisting the high temperatures of halogen, discharge or LED projectors also used in shows.

Thanks to the simplicity of installation, the design can be projected on any vertical or horizontal surface. Gobos are tailor-made according to the projector used, please check the following page, because dimensions of the design depends of two parameters: OD (external diameter), ID (internal diameter). These drawings are standard models, on request it is possible to create a customized design from a photo in high definition HD. We recommend using 30W, 50W and 80W cold light floodlights for indoor use, such as Teclumen mini profile and mini pony, Cetra LED LDR, Ikon Profile and Ikon IR ADJ.

Projection lights mainly managed are:

ACME

I spot 575 - OD: 26.8mm - ID: 20mm
 Wild tech - OD: 53mm - ID: 38mm
 I rock 5s - OD: 26.8mm - ID: 20mm
 I solution 575 - OD: 26.8mm - ID: 20mm
 I solution imove 250 - OD: 26.8mm - ID: 20mm
 I solution imove 275 - OD: 26.8mm - ID: 20mm
 LGP60 - OD: 28mm - ID: 23mm
 Spot 575 metal - OD: 28mm - ID: 24mm
 XP-16R BSW - OD: 12mm - ID: 7mm

ADJ – American DJ

Accu Color 250 - OD: 26.2mm - ID: 25.5mm
 Accu scan 250 - OD: 25mm - ID: 20mm
 Accu spot 250 II - OD: 25mm - ID: 20mm
 Accu spot pro - OD: 26.7mm - ID: 24.7mm

Encore Profile 1000 Color - OD: 61mm - ID: 51mm
 Encore Profile 1000 WW - OD: 61mm - ID: 51mm
 Focus spot One - OD: 23.8mm - ID: 19mm
 Focus spot Three Z - OD: 23.8mm - ID: 20mm
 Gobo Motion - OD: 20.5mm - ID: 12mm
 Gobo Projector - OD: 26.8mm - ID: 23mm
 Gobo Projector IR - OD: 26.9mm - ID: 23mm
 Gp 250 - OD: 32mm - ID: 27mm
 Icon - OD: 26mm - ID: 19mm
 Icon - OD: 54mm - ID: 33mm
 Icon IR - OD: 54mm - ID: 39.75mm
 Ikon Profile - OD: 26.8mm - ID: 24mm
 Image 250 - OD: 53.5mm - ID: 28mm
 Inno Roll HP Scanner- OD: 23.8mm - ID: 19mm

Inno Spot - OD: 23.8mm - ID: 19mm
 Inno Spot Elite - OD: 27mm - ID: 22mm
 Inno Spot Pro - OD: 24mm - ID: 20mm
 Inno Spot Pro - OD: 24mm - ID: 20mm
 PinPoint Gobo - OD: 25.8mm - ID: 16mm
 Quad Scan Pro - OD: 20.5mm - ID: 12mm
 Quick Scan - OD: 21.7mm - ID: 17mm
 Rotogobo - OD: 26mm - ID: 19mm
 Vizi BSW 300 - OD: 26.8mm - ID: 20mm
 Vizi CMY 301 - OD: 26.8mm - ID: 20mm
 Vizi Spot 5R - OD: 13.7mm - ID: 7mm
 Vizi Spot LED - OD: 27mm - ID: 22mm
 Vizi Spot LED Pro - OD: 26.6mm - ID: 23.8mm
 Vizi Hybrid 16rx - OD: 12mm - ID: 7mm
 X-Color LED Plus - OD: 22.5mm - ID: 17mm
 X-Move LED 25R - OD: 23.8mm - ID: 19mm
ALTMAN

Commercializzato da:

AMLUX srl - Via Belgio, 11/13 46042 - Castel Goffredo (MN)
 Tel. +39 0376781094 www.amlux.it - info@amlux.it

Master ellipse - OD: 37.7mm - ID: 28mm
 Micro ellipse - OD: 37.7mm - ID: 28mm
ARENA LUCI
 PROMO - OD: 51mm - ID: 48mm
 PROMO LED - OD: 50mm - ID: 45mm
AUREOL Beamshepar - OD: 37.9mm - ID: 28mm
AVANCE LUZ Graphic 150 - OD: 66mm - ID: 38mm
AYRTON GHIBLI - OD: 30mm - ID: 22mm
BLACKHAWK SA022/575W/MSR SPOT - OD: 32mm - ID: 28mm
blizzard kryo - OD: 9.9mm - ID: 5.5mm
Blizzard Torrent 90 led - OD: 26.9mm - ID: 23mm
BRITEQ
 BT700S - OD: 45.75mm - ID: 43mm
 BTX-TITAN - OD: 15.8mm - ID: 12.5mm
 BT60 LS BT60 LS - OD: 26.8mm - ID: 21mm

CAMEO
 AuroSpot 200 - OD: 22.9mm - ID: 19.5mm
 AuroSpot 400 - OD: 20.4mm - ID: 16.5mm
CHAUVET
 Eve E-100z - OD: 66mm - ID: 48mm
 Eve E-50z - OD: 53.3mm - ID: 43mm
 Intimidator S355I - OD: 24mm - ID: 20mm
 5000 Moving Head - OD: 31mm - ID: 21mm
 EZ GOBO - OD: 25.8mm - ID: 16mm
 Followspot 400g - OD: 35.8mm - ID: 27.9mm
 Followspot 75 ST - OD: 25.4mm - ID: 19mm
 Gobo LED - OD: 28.8mm - ID: 24.3mm
 Gobo Shot 50 IRC - OD: 53mm - ID: 38mm
 Gobo Zoom - OD: 28.6mm - ID: 26mm
 Gobo Zoom USB - OD: 25.74mm - ID: 19mm
 Intimidator 2.0 metal gobo - OD: 23.5mm - ID: 17.5mm
 Intimidator Hybrid 140SR - OD: 13.7mm - ID: 11mm
 Intimidator Scan 305 IRC - OD: 23.9mm - ID: 20.5mm
 Intimidator Spot 250 - OD: 26.7mm - ID: 24.5mm
 Intimidator Spot 355 Z - OD: 24mm - ID: 20mm
 Intimidator Spot 375 Z - OD: 24mm - ID: 20mm
 Intimidator Spot 455z IRC - OD: 25.9mm - ID: 21mm
 Intimidator Spot LED 250 - OD: 24mm - ID: 20mm
 intimidator Spot LED 255 IRC - OD: 24mm - ID: 20mm
 Intimidator Spot LED 350 - OD: 24mm - ID: 20mm
 Intimidator Spot LED 450 - OD: 26.75mm - ID: 23mm
 Legend 150R - OD: 26.8mm - ID: 21mm
 legend 5000 x - OD: 31mm - ID: 24mm
 LFS-5 - OD: 25.4mm - ID: 19mm
 LFS-7 dmx - OD: 40mm - ID: 18mm
 LFS-75 - OD: 23.7mm - ID: 21.3mm
 LFS-75DMX - OD: 37.5mm - ID: 18mm
 LFS-75ST - OD: 25.4mm - ID: 19mm
 Maverick MK1 Hybrid Moving Head - OD: 22mm - ID: 13mm
 Maverick MK1 Spot - OD: 26mm - ID: 22mm
 Mk-Spot - OD: 32mm - ID: 28mm

Ovation Mini - OD: 37.5mm - ID: 28mm
 Ovation Mini E 10CW - OD: 37.5mm - ID: 25mm
 Q spot - OD: 26.8mm - ID: 22mm
 Q spot 150 - OD: 25.75mm - ID: 18.2mm
 Q spot 200 - OD: 25.5mm - ID: 20.3mm
 Q spot 250 - OD: 37.2mm - ID: 31mm
 Q spot 260 - OD: 25.95mm - ID: 19mm
 Q spot 460 - OD: 32.5mm - ID: 27.5mm
 Q spot 560 - OD: 35.8mm - ID: 31.78mm
 Q spot 575 - OD: 31.21mm - ID: 21mm
 R2 Spot glass - OD: 27mm - ID: 23.8mm
 Rogue R2 Spot glass gobo - OD: 27mm - ID: 23mm
 Rogue R2 Spot metal gobo - OD: 28.8mm - ID: 23mm
 Rogue RH1 Hybrid - OD: 15.6mm - ID: 13.4mm
 Rouge R1 Spot glass gobo - OD: 25mm - ID: 23mm
 Rouge R1 Spot metal gobo-OD:26.9mm- ID: 22.5mm
 Sx gobo - OD: 51mm - ID: 40.5mm
CLAY PAKY
 Alpha Beam 300 Rotating Gobos - OD: 25.7mm - ID: 19mm
 Alpha Beam 700 Fixed Gobos - OD: 31.5mm - ID: 25mm
 Alpha Beam 700 Rotating Gobos - OD: 25.7mm - ID: 19mm
 Alpha Beam Fixed Gobos - OD: 31.5mm - ID: 25mm
 Alpha Profile 1200 - OD: 37.5mm - ID: 25mm
 Alpha Profile 700 - OD: 25.7mm - ID: 19mm
 Alpha Profile 800ST - OD: 25.7mm - ID: 19mm
 Alpha Spot 575 - 1200 - OD: 37.5mm - ID: 25mm
 Alpha spot 700 hpe - OD: 25.7mm - ID: 19mm
 Alpha spot hpe 1200-1500 - OD: 37.5mm - ID: 25mm
 Alpha Spot hpe 300 - OD: 25.7mm - ID: 19mm
 Alpha Spot QWO 800 fixed - OD: 31.5mm - ID: 19mm
 Alpha Spot QWO 800 rotanti - OD: 25.7mm - ID: 19mm
 Alpha spot ruota fissa - OD: 31mm - ID: 23mm
 Axcor Profile 300 - OD: 22.9mm - ID: 18mm
 Axcor Profile 600 - OD: 25.9mm - ID: 22mm
 Axcor Profile 900 - OD: 32.8mm - ID: 24mm
 Golden scan 3 - OD: 51.8mm - ID: 42mm
 Golden scan 4 - OD: 51.8mm - ID: 42mm
 Golden Scan HPE 1200 - OD: 51.8mm - ID: 42mm
 Golden spot 1200 - OD: 51.8mm - ID: 42mm
 Golden spot 3 - OD: 51.8mm - ID: 42mm
 MiniScan HPE - OD: 25.7mm - ID: 23mm
 Miniscan HPE 300 - OD: 25.7mm - ID: 23mm
 Piper rg - OD: 66mm - ID: 48mm
 Point MH - OD: 31.5mm - ID: 27mm
 rain spot 575 glass - OD: 51.8mm - ID: 35mm
 rain spot 575 metal - OD: 53.3mm - ID: 35mm
 Scenius spot - OD: 32.8mm - ID: 24mm

Scenius spot/profile fixed - OD: 31.5mm - ID: 19mm
 Scenius unico /Scenius Profile - OD: 32.8mm - ID: 24mm
 Spheriscan fixed gobo - OD: 31.5mm - ID: 25mm
 Spheriscan rotating gobo - OD: 32.8mm - ID: 24mm
 Stage Light 300 - OD: 25.5mm - ID: 23mm
 STAGE PROFILE PLUS SV - OD: 51.8mm - ID: 42mm
 Stage scan 1200 - OD: 51.8mm - ID: 42mm
 Stage Zoom 1200 - OD: 51.8mm - ID: 42mm
 StageLine SV plus - OD: 51.8mm - ID: 42mm
 Super scan - OD: 66mm - ID: 48mm
 TIGER SCAN - OD: 51.8mm - ID: 36mm
 Vip 1200 - OD: 51.8mm - ID: 35mm
 Vip 150 - OD: 51.8mm - ID: 33mm
 Vip 300 - OD: 51.8mm - ID: 33mm
 Vip 300 dia - OD: 51.8mm - ID: 33mm
 Vip 300 gobo changer - OD: 31.5mm - ID: 23mm
 Vip 8 gobo changer - OD: 31.5mm - ID: 23mm
COEF
 1200 - OD: 24.9mm - ID: 19mm
 250 Performer DV - OD: 24.7mm - ID: 19.5mm
 MP 700 Zoom - OD: 24.9mm - ID: 17mm
COEMAR
 150 - OD: 32.9mm - ID: 29mm
 CF 1200 - OD: 50mm - ID: 38mm
 CF 7 HEX - OD: 25.8mm - ID: 19.5mm
 High spot - OD: 32.9mm - ID: 29mm
 I spot 1200 - OD: 32.9mm - ID: 24mm
 I spot 150 - OD: 32.9mm - ID: 26mm
 I Spot 575 mb e eb - OD: 32.9mm - ID: 26mm
 Infinity Spot S (300) - OD: 27mm - ID: 21mm
 Infinity Spot XL - OD: 32.8mm - ID: 25mm
 iSpot eXtreme 6000 - OD: 32.8mm - ID: 28mm
 Nat 4000 - OD: 50mm - ID: 37.5mm
 Prospot 250 evo old - OD: 27mm - ID: 23mm
 Prospot 250LX - OD: 26mm - ID: 19mm
 Prospot 575LX - OD: 32.9mm - ID: 26mm
 Spot M - OD: 26.8mm - ID: 21mm
TAS
 Compact Scan 250 - OD: 26.8mm - ID: 21.5mm
 KP 12 - OD: 27mm - ID: 20mm
 Prospot 575 - OD: 27mm - ID: 23mm
COLOR IMAGINATION
 MiniSpot 50 - OD: 21.8mm - ID: 14.5mm
 SPOT 200LD - OD: 26.9mm - ID: 21mm
 SPOT 50 - OD: 29mm - ID: 21.8mm
 SPOT 90L - OD: 26.9mm - ID: 21mm
CONTEST
 Artist 10W - OD: 35mm - ID: 26mm
 Contest EVO 250 - OD: 27mm - ID: 22mm
 EVO575 - OD: 27mm - ID: 22mm
 EVORA SP 60 - OD: 27mm - ID: 22mm
 Gaya 22W - OD: 27mm - ID: 22mm
 msp 250 - OD: 27mm - ID: 22mm
 MSP-575 - OD: 27mm - ID: 22mm
 MVH 930 - OD: 27mm - ID: 22mm
 SFX-DE40W - OD: 34mm - ID: 24mm
 CRYSTAL SHINE Led Moving Head - OD: 24mm - ID: 19mm
CUSTOM Caleidos - OD: 70mm - ID: 38mm

Commercializzato da:

AMLUX srl - Via Belgio, 11/13 46042 - Castel Goffredo (MN)

Tel. +39 0376781094 www.amlux.it - info@amlux.it

Darklight Gantom IQ - OD: 19mm - ID: 15mm

DEDOLIGHT

Dlh 4 - OD: 66mm - ID: 48mm
Profiler - OD: 51.8mm - ID: 39.5mm

DERKSEN

GL 100 - 150 - 200 - OD: 70mm - ID: 37mm
GL 80 - OD: 50mm - ID: 42mm
GL L60 - OD: 70mm - ID: 32mm
Gobotop - OD: 37.5mm - ID: 20mm
Phos 25/45/65/85 - OD: 50mm - ID: 40mm
PHOS MINI - OD: 37.5mm - ID: 20mm

DTS

CORE - OD: 13.85mm - ID: 7mm
Evo - OD: 13.85mm - ID: 9mm
Jack - OD: 13.9mm - ID: 7mm
MAX - OD: 13.9mm - ID: 7mm
Moovie light 575 - OD: 26.8mm - ID: 24mm
Profilo 80 - OD: 66mm - ID: 48mm
Profilo Compact - OD: 66mm - ID: 48mm
XM 1200 - OD: 36.9mm - ID: 32mm
XR 3000 CYM SPOT - OD: 27.9mm - ID: 24mm
XR 4 spot - OD: 27.9mm - ID: 24mm
XR 5 spot - OD: 27.9mm - ID: 24mm
XR 7 spot - OD: 26.9mm - ID: 24mm
XR 8 spot - OD: 27.9mm - ID: 24mm
XR 9 spot - OD: 27.9mm - ID: 24mm
XR2000 - OD: 27.9mm - ID: 24mm
XR300 BEAM - OD: 27.9mm - ID: 24mm
XR700 - OD: 27.9mm - ID: 24mm
XRT 250 - OD: 26.9mm - ID: 23.5mm

ELATION

Design Spot - OD: 26.9mm - ID: 23mm
Design spot 250 - OD: 26.7mm - ID: 23mm
Design spot 300 E - OD: 26.7mm - ID: 23mm
Design spot 575 - OD: 26.7mm - ID: 23mm
DesignSpot 1200 C - OD: 29mm - ID: 24mm
E Spot LED - OD: 26.9mm - ID: 24mm
E Spot LED II - OD: 27mm - ID: 22mm
E Spot LED III - OD: 26.8mm - ID: 21.4mm
elar image X Ecospot - OD: 37.5mm - ID: 20mm
Focus spot 250 - OD: 26.9mm - ID: 23mm
Image Pro 300 - OD: 51.8mm - ID: 35.5mm
Platinum Beam 5R - OD: 13.9mm - ID: 7mm
Platinum LFX - OD: 16.3mm - ID: 10mm
Platinum spot - OD: 13.7mm - ID: 8mm
Platinum Spot 15R - OD: 16.3mm - ID: 10mm
Platinum Spot 35 PRO - OD: 28.8mm - ID: 24mm
Platinum Spot 35R - OD: 28.6mm - ID: 24mm
Platinum Spot 5R - OD: 13.7mm - ID: 7mm
Platinum Spot III - OD: 26.8mm - ID: 21.4mm
Platinum Spot Pro - OD: 26.8mm - ID: 22mm
Platinum spot Pro II - OD: 26.8mm - ID: 22mm
Platinum Spot SBX - OD: 16.3mm - ID: 10mm
Power Spot 250 - OD: 27mm - ID: 23mm
Power Spot 575/ 700 - OD: 26.9mm - ID: 23mm
Pro 300 II - OD: 51.8mm - ID: 35.5mm
Proteus Hybrid - OD: 16.4mm - ID: 9mm
Vizi spot - OD: 13.7mm - ID: 8mm
Vizi Spot 5R - OD: 13.7mm - ID: 7mm

ELITE

Servo Spot 250 - OD: 27mm - ID: 23mm
Servo Spot 575 - OD: 27mm - ID: 23mm
Servo spot 600 - OD: 32.5mm - ID: 26mm
Servo Zoom 250 - OD: 37.3mm - ID: 31mm
Servoscan HMI 575 - OD: 26.8mm - ID: 23mm
EMPIRE ELECTRONIC 50W - OD: 38mm - ID: 25mm

Equinox Promo Spot LED - OD: 28.5mm - ID: 23mm

ERCO

Eclipse 150W - OD: 73mm - ID: 60mm
Pollux - OD: 50mm - ID: 30mm
STELLA - OD: 66mm - ID: 48mm

ETC

Baby zoom - OD: 66mm - ID: 48mm
Revolution - OD: 66mm - ID: 48mm
Source 4 JR - OD: 66mm - ID: 48mm
Source 4 Junior - OD: 66mm - ID: 48mm
Source 4 Mini - OD: 37.5mm - ID: 25.4mm
ETEC LED Moving Head E150 Spot - OD: 25mm - ID: 16mm

EUROLITE

AKKU LP-10 - OD: 26mm - ID: 19mm
LP - OD: 30mm - ID: 24mm
LP 15 - OD: 28.7mm - ID: 22mm
LP 150 - OD: 53.3mm - ID: 38mm
LP 25 - OD: 37.5mm - ID: 28mm
LP 50 - OD: 46.5mm - ID: 27mm
LP-10 - OD: 26mm - ID: 19mm
LP-10 logo Projektor - OD: 37mm - ID: 30mm
LP-15 - OD: 28.7mm - ID: 22mm
LP-5 - OD: 50mm - ID: 28mm
LP-7 IP - OD: 35mm - ID: 26mm
TMH 155 - OD: 27.5mm - ID: 21.5mm
TMH 250 - OD: 27mm - ID: 23mm
TMH-60 MK 2 - OD: 22mm - ID: 15mm
TMH-X12 LED Moving Head Spot - OD: 29mm - ID: 25mm
TMH-X20 LED Moving Head Spot - OD: 29mm - ID: 25mm
TS - 8 - OD: 25mm - ID: 20mm
TS-150 SCAN - OD: 19mm - ID: 16mm
TS-255 DMX Scanner - OD: 25mm - ID: 20mm
TSL-200 Scan - OD: 24.5mm - ID: 20mm
EVL MiniSpot - OD: 25mm - ID: 20mm
EVL Prospot 250 - OD: 27mm - ID: 22mm
EVL spin 250 moonflower - OD: 23.5mm - ID: 15mm
EXPOLITE Tour Spot 300 - OD: 27.9mm - ID: 23mm
FAL 1200 scanner - OD: 53mm - ID: 48mm
FAL 1000 scanner - OD: 30mm - ID: 18mm
FAL Promo1 - OD: 53.3mm - ID: 40mm

DHM-90 - OD: 27mm - ID: 22mm
DMB 160 - OD: 37.2mm - ID: 26mm
DMH-150 - OD: 27mm - ID: 22mm
DMH-30 - OD: 27mm - ID: 22mm
DMH-40 - OD: 27mm - ID: 22mm
DMH-60 - OD: 27mm - ID: 22mm
DMH-75 - OD: 24mm - ID: 19mm
MH-460 - OD: 28.8mm - ID: 22.5mm
MH-860 - OD: 27mm - ID: 23mm
PHS-1200 Compact - OD: 37.4mm - ID: 31mm
PHS-200 - OD: 25mm - ID: 20mm
PLB-230 - OD: 14mm - ID: 6mm

PLS 5R Spot - OD: 14mm - ID: 7mm

FUTURLIGHT

575 - OD: 27mm - ID: 23mm
750 - OD: 27mm - ID: 23mm
Dj Scan 600 - OD: 35mm - ID: 27mm
DJ spot 250 - OD: 27mm - ID: 23mm
DJ-Head 250 - OD: 27mm - ID: 23mm
DP 200 - OD: 53.3mm - ID: 38mm
Evo 1 - OD: 32mm - ID: 27mm
MH 660 - OD: 27mm - ID: 23mm
MH 680 - OD: 37.5mm - ID: 28mm
PHS-250 - OD: 27mm - ID: 23mm
PHS-260 - OD: 27mm - ID: 23mm
PHS-280 - OD: 27mm - ID: 23mm
PHS-710 - OD: 27mm - ID: 23mm
psc575 - OD: 27mm - ID: 23mm

GENI

Mojo Scan 1 - OD: 25.4mm - ID: 15mm
Oby 3 - OD: 31mm - ID: 24mm
Oby 5 Moving head - OD: 31mm - ID: 25mm

GLP

GT - 1 - OD: 22.9mm - ID: 13mm
Impression Spot One - OD: 27mm - ID: 18mm
Impression Spot One - OD: 27mm - ID: 19mm
Junior scan 1 - OD: 13.8mm - ID: 12.5mm
Spot one - OD: 27mm - ID: 18mm
StarTec 1200 - OD: 37.5mm - ID: 27mm
VolksLicht Spot - OD: 23mm - ID: 19mm
Ypoc 250 - OD: 27mm - ID: 23mm
YPOC 575 - OD: 27mm - ID: 23mm
Ypoc 700 - OD: 27mm - ID: 23mm
GOBO XK M 575 - OD: 50mm - ID: 38mm
GOBO IMAGE LED 40 OUTDOOR G5 - OD: 53.3mm - ID: 42mm

GOBOMAN Q-Size - OD: 50 x 49mm - ID: 22mm

GOBOSERVICE

Eco Spot 32 - OD: 37.5mm - ID: 20mm
Ecosmart 150-250W - OD: 66mm - ID: 48mm
Ecosmart 70 - OD: 37.5mm - ID: 28mm
Ecospot 35 - OD: 37.5mm - ID: 25mm
GOLED - OD: 37.5mm - ID: 30mm
GOLIVE (ROUE CHANGEUR DE GOBOS) - OD: 43.2mm - ID: 38mm
GOLIVE (PORTE GOBO) - OD: 52.8mm - ID: 48mm
GOLUX 600/1000 (ROUE CHANGEUR DE GOBOS) - OD: 43.2mm - ID: 35mm
GOLUX 600/1000 (PORTE GOBO) - OD: 37.5mm - ID: 30mm

Grafic 100 - OD: 66mm - ID: 38mm
GRAFIC 150 Grafic 150 - OD: 66mm - ID: 38mm

GRIVEN

575 Spot - OD: 30.5mm - ID: 26.5mm
Acrobat pe 250-GR0422 - OD: 32mm - ID: 24mm
Gobo led 80 - OD: 53.3mm - ID: 40mm
Gobo Storm Plus - OD: 53.3mm - ID: 40mm
Goboclip - OD: 53.3mm - ID: 40mm
Goboled 7-Pro - OD: 27mm - ID: 22mm
Inse 1200 MSR - OD: 65mm - ID: 50mm
Inse 575 - OD: 60mm - ID: 33mm
Promotion 1200 - OD: 53mm - ID: 40mm
Promotion 2000 - OD: 53.3mm - ID: 40mm
Scanvision 2 - OD: 32mm - ID: 24mm
GTD Projector - OD: 33mm - ID: 26mm
HALLIER F - OD: 45mm - ID: 35mm

Commercializzato da:

AMLUX srl - Via Belgio, 11/13 46042 - Castel Goffredo (MN)

Tel. +39 0376781094 www.amlux.it - info@amlux.it

HIGH END SYSTEM

Cyberlight/Cyberlight turbo/Cyberlight SV
Scanner - OD: 44.3mm - ID: 37mm
SOLAFRAME 2000 - OD: 30mm - ID: 25mm
SOLAFRAME 750 - OD: 30mm - ID: 25mm
SOLASPOT PRO 1500 - gobo wheel 2 - OD: 34mm - ID: 26mm
SOLASPOT PRO 1500 - rotating gobo wheel 1 - OD: 30mm - ID: 24mm
SolaSpot PRO CMY LED - OD: 28.7mm - ID: 20mm
SolaWash FX - OD: 30mm - ID: 25mm
Studio Spot 250 - OD: 25mm - ID: 22mm
Studio Spot 575 -575z - OD: 36.3mm - ID: 31.75mm
Technospot - OD: 29mm - ID: 24mm
Technospot - OD: 29mm - ID: 23mm
Tecnobeam - OD: 25mm - ID: 22mm
Xspot - OD: 36.45mm - ID: 31.75mm
Highlite / Showtec Infinity iB-16R - OD: 15.7mm - ID: 12mm
IGNITION Cobalt X-3 Coup - OD: 15.85mm - ID: 12.5mm
IGuzzini Le Perroquet - OD: 66mm - ID: 32mm
IGuzzini Palco - OD: 53mm - ID: 40mm
IKEA Isbrytare - OD: 43mm - ID: 30mm
IKEA Isbrytare metal - OD: 50mm - ID: 30mm
IMG Stage Line Twist-5LED MK2 - OD: 24mm - ID: 20mm
IMG STAGELINE DMX SCAN 250 - OD: 27mm - ID: 21mm
IMG TWIST
75 led - OD: 23.9mm - ID: 20mm
95 ZOOM - OD: 24mm - ID: 20mm
Twist 1200 - OD: 49.8mm - ID: 45mm
INVOLIGHT 127 S - OD: 24mm - ID: 17.5mm
Involight LED MH90S - OD: 27mm - ID: 24mm
INVOLIGHT
Prospot 500 - OD: 28.8mm - ID: 22mm
TRINITY280 - OD: 15.85mm - ID: 12.5mm
IPL Profile 575 - OD: 28mm - ID: 22mm
ISolution Xperior 300SZ - OD: 26.8mm - ID: 24mm
JB LIGHTING
Variscan 7 HMI 1200 - OD: 51.8mm - ID: 49mm
Varyscan 6 HMI 575 - OD: 37.5mm - ID: 28mm
Varyscan P3 - OD: 37.5mm - ID: 33mm
Varyscan P4 - OD: 15.90mm - ID: 11mm
Varyscan P6 - OD: 51.8mm - ID: 48mm
Varyscan P7 - OD: 27.9mm - ID: 23mm
Varyscan P8 - OD: 27.9mm - ID: 23mm
JB SYSTEM
Mini logo - OD: 26.8mm - ID: 22mm
Led Rotogobo - OD: 28mm - ID: 23mm
Led Rotogobo Batch 1 - OD: 26.8mm - ID: 21mm
Led Rotogobo Batch 2 - OD: 28mm - ID: 23mm
MX-GEA - OD: 53mm - ID: 39mm
JOCKER 250W halo - OD: 55mm - ID: 35mm
JOLLY LIGHTING X-1000-spot - OD: 36mm - ID: 27mm

L.D.R. Suono d 10/28 - OD: 66mm - ID: 48mm
LAMPO SAGITER Tracer Follow Spot 1200 - OD: 66mm - ID: 48mm
LED Srl Testamobile MH 575 - OD: 36.3mm - ID: 30mm
LEES LIGHT/LITE
15R Spot Beam Wash - OD: 16.35mm - ID: 10mm
17R - OD: 16.35mm - ID: 10mm
LIGHTMAXX
Platinum Line Mini Exeo 25W - OD: 21mm - ID: 18mm
Platinum Line Mini Exeo 60W - OD: 23mm - ID: 18mm
PLATINUM LINE MINI EXEO XD V2 - OD: 23mm - ID: 18mm
Vector BSW 10 R - OD: 14.1mm - ID: 10mm
LOTTI
PR1520-15 Cod. 45545 - Gobo size od: 37 mm - id: 23 mm
P1565-15 Cod. 45552 - Gobo size od: 37 mm - id: 23 mm
P1565-25 Cod. 45569 - Gobo size od: 37 mm - id: 23 mm
P1565-15R Cod. 45576 - Gobo size od: 37 mm - id: 23 mm
P3065-15 Cod. 45583 - Gobo size od: 37 mm - id: 23 mm
P3065-15R Cod. 45590 - Gobo size od: 37 mm - id: 23 mm
P4065-15R Cod. 45606 - Gobo size od: 37 mm - id: 23 mm
P4065-25R Cod. 45613 - Gobo size od: 37 mm - id: 23 mm
P6065-15R Cod. 45620 - Gobo size od: 37 mm - id: 23 mm
P6065-25R Cod. 45637 - Gobo size od: 37 mm - id: 23 mm
P8065-15R Cod. 45644 - Gobo size od: 37 mm - id: 23 mm
P8065-25R Cod. 45651 - Gobo size od: 37 mm - id: 23 mm
P4065-15 S3 Cod. 45668 - 3pz Gobos size od: 30 mm - id: 20 mm
P6065-15 S3 Cod. 45675 - 3pz Gobos size od: 30 mm - id: 20 mm
P8065-15 S3 Cod. 45682 - 3pz Gobos size od: 30 mm - id: 20 mm
LSI industries LSI-BP-75-SLK-B - OD: 53mm - ID: 38mm
LUPO Lupo 75 - OD: 50mm - ID: 35mm
LYRE
Beam Wash Spot - OD: 14.75mm - ID: 12mm
Msp 250 contest - OD: 27mm - ID: 22mm
PR 575 - OD: 36.3mm - ID: 31.5mm
MARK BEAM WS 280 - OD: 14.9mm - ID: 13mm
MARQ Gesture Spot 500 - OD: 23.5mm - ID: 19mm
MARTIN
250 Krypton - OD: 22.5mm - ID: 17mm
575 Krypton - OD: 27.9mm - ID: 23mm
AXIOM - OD: 13.8mm - ID: 9mm
Ego 2 - OD: 22.5mm - ID: 17mm
Exterior 1000 - OD: 30mm - ID: 26mm
Exterior 1200 - OD: 53.3mm - ID: 48mm
Exterior Projection 500 MG - OD: 30mm - ID: 23mm

Exterior400 - OD: 27.9mm - ID: 23mm
Imager 01-04 - OD: 53.3mm - ID: 40mm
Imagescan - OD: 53.3mm - ID: 40mm
Mac 2000 Profile - rotating - OD: 37.5mm - ID: 30mm
Mac 2000 Profile - static - OD: 37.5mm - ID: 30mm
Mac 2000 Spot - OD: 37.5mm - ID: 30mm
Mac 250 - OD: 22.5mm - ID: 17mm
Mac 250 Entour - OD: 22.5mm - ID: 17mm
Mac 250 Krypton - OD: 22.5mm - ID: 17mm
Mac 350 Entour - OD: 27.8mm - ID: 23mm
Mac 350 Entour - OD: 27.9mm - ID: 23mm
Mac 500 - rotating - OD: 27.9mm - ID: 23mm
Mac 500 - static - OD: 27.9mm - ID: 23mm
Mac 550 - OD: 27.9mm - ID: 23mm
Mac 575 krypton - OD: 27.9mm - ID: 23mm
Mac 700 - OD: 27.9mm - ID: 23mm
Mac Axiom - OD: 13.9mm - ID: 9mm
MAC Encore Performance - OD: 37.5mm - ID: 27mm
Mac III (Profile e Performance) - OD: 37.5mm - ID: 30mm
mac quantum profile - OD: 27.9mm - ID: 24mm
Mac spot 575 MH - OD: 27mm - ID: 23mm
MAC viper profile - OD: 37.5mm - ID: 27mm
Mania DC3 - OD: 53mm - ID: 38mm
Mania PR 1 - OD: 53mm - ID: 38mm
Mania scx 600/700 - OD: 22.5mm - ID: 17mm
Mini-Mac maestro - OD: 37.5mm - ID: 30mm
Mini-Mac Profile - OD: 22.5mm - ID: 17mm
MX 10 - OD: 22.5mm - ID: 17mm
Pal 1200-glass - OD: 50mm - ID: 40mm
Pal 1200-metal - OD: 53.3mm - ID: 40mm
Pro 1220 Roboscan - OD: 70mm - ID: 48mm
Profile 1200 - OD: 37.5mm - ID: 30mm
RoboScan Pro 1220 - OD: 37.5mm - ID: 30mm
RoboScan Pro 518 glass - OD: 21.5mm - ID: 12mm
RoboScan Pro 918 - OD: 27.9mm - ID: 23mm
RUSH Gobo Projector 1 - OD: 37.5mm - ID: 24mm
RUSH MH 5 Profile LED - OD: 24mm - ID: 16mm
RUSH MH1 - OD: 26.8mm - ID: 22mm
smart mac 150 - OD: 27.9mm - ID: 23mm
MEGA LITE
Axis 250 - OD: 26.5mm - ID: 24mm
axis LED Spot - OD: 25mm - ID: 20mm
MEYER
Night Spot A LED - OD: 37.5mm - ID: 30mm
Nightspot B - OD: 50mm - ID: 32mm
MONACOR Led Moving Head TWIST-75 - OD: 24mm - ID: 20mm
MUSIC&LIGHT RAZOR440 - OD: 26mm - ID: 13mm
NEW DINAMITE Gobo Projector - OD: 26mm - ID: 20mm
NEWTON 210 HD+ de chez STARWAY size M
NICOLS Tunnel Beam - OD: 27mm - ID: 19mm
OPTIMA LIGHTING
matris 575 - OD: 26.5mm - ID: 18.5mm
Matrix 300 - OD: 26.5mm - ID: 22.5mm
OSIRIS Seth 250 - OD: 27mm - ID: 21mm
OSRAM Kreios G1 - OD: 37mm - ID: 30mm

Commercializzato da:

AMLUX srl - Via Belgio, 11/13 46042 - Castel Goffredo (MN)

Tel. +39 0376781094 www.amlux.it - info@amlux.it

OSRAM Maxispot-T 50W - OD: 37.2mm - ID: 29.5mm

PANAVISION

DP 70 TS - OD: 37.5mm - ID: 20mm
DP 75 TED - OD: 37.5mm - ID: 20mm
DP 90 - OD: 51.8mm - ID: 25mm

Pilot 1200 - OD: 51.8mm - ID: 45mm
Pilot 150 - OD: 26.9mm - ID: 22mm
Pilot 250 - OD: 27.8mm - ID: 23mm
Pilot 300 - OD: 27.9mm - ID: 22mm
Pilot 575 - OD: 36.3mm - ID: 31mm
solo 1200 - OD: 36.3mm - ID: 31.5mm
Solo 250 - OD: 26.9mm - ID: 22mm
Solo 575 - OD: 36.3mm - ID: 31.5mm
XL 1200 - OD: 36.3mm - ID: 31.5mm

ilti luce Kalibro M/L - OD: 35mm - ID: 27mm

PR LIGHTING

400 Beam - OD: 27.8mm - ID: 23mm
5000 - OD: 36.3mm - ID: 26mm
Pilot 250 - OD: 27.8mm - ID: 23mm
solo 250 - OD: 36.3mm - ID: 31.5mm
Solo 575P SPOT - OD: 36.3mm - ID: 31.5mm
XL 250 - OD: 22.5mm - ID: 17mm
XL 700 - OD: 36.3mm - ID: 31.1mm
XR 130 Spot - OD: 11.8mm - ID: 9mm
XR 200 Beam - OD: 27.8mm - ID: 23mm
XR 500 - OD: 27.8mm - ID: 23mm
XS 1200 - OD: 36.3mm - ID: 31.5mm
XS 250 - OD: 22.5mm - ID: 17mm
XS 300 - OD: 27.8mm - ID: 23mm
xs 330 - OD: 14.8mm - ID: 8mm

PRG bad boy profile - OD: 41.3mm - ID: 31.75mm

PROEL

575 SCN - OD: 28.5mm - ID: 23mm
BLADE GOBO - OD: 47.5mm - ID: 43mm
Dreamlight 1200 - OD: 66mm - ID: 48mm
Dreamlight 1200 SCN mod. 2007 - OD: 37mm - ID: 31mm
Dreamlight 575 - OD: 27mm - ID: 23mm
Dreamlight 575 (old model) - OD: 33mm - ID: 27mm
Dreamlight spot 250 - OD: 27.5mm - ID: 21mm

Joker PLJO25SEL - OD: 55mm - ID: 35mm
SAGITTER Arrow 700 Beam Compact - OD: 27mm - ID: 23mm

Tarkus 575 Spot - OD: 29mm - ID: 23mm
Testamobile 250 Spot Eclipse - OD: 26.5mm - ID: 22mm

PROIETTA

FX 300 LED - OD: 50mm - ID: 40mm
Impressive - OD: 70mm - ID: 40mm
Monster 1200 - 2500 - OD: 50mm - ID: 40mm
Shark 250 - 575 - OD: 50mm - ID: 40mm

PROLIGHT

LUMA 1500 - OD: 27mm - ID: 21mm
Batgoboir - OD: 25.8mm - ID: 16mm
Cromo Spot 250 - OD: 28.95mm - ID: 22mm
Cromo Spot 300 - OD: 25.8mm - ID: 19mm
CROMOSPOT 500 - OD: 32.5mm - ID: 26mm
Crystal - OD: 24mm - ID: 20mm
ECLIPSE JR - OD: 66mm - ID: 48mm
FS75 - OD: 25mm - ID: 21mm
FY250S Fury - OD: 23.8mm - ID: 20.6mm

FY400S - OD: 23.8mm - ID: 20mm
FY700s - OD: 26.8mm - ID: 23mm
Gallery Eclipse - OD: 37.5mm - ID: 25.4mm
Gobozoom 15W - OD: 28.6mm - ID: 26mm
Jade - OD: 15.89mm - ID: 12.5mm
LT-120 SPOT - OD: 14.9mm - ID: 13.2mm
LUMA 700 - OD: 27mm - ID: 21mm
LUXOR - OD: 17.8mm - ID: 16mm
Minieclipse - OD: 37.5mm - ID: 28mm
Moonstone - OD: 27mm - ID: 20mm
Mosaico - OD: 26.9mm - ID: 24mm
PFZ 525 - OD: 64.5mm - ID: 45mm
PIXIESPOT - OD: 16.9mm - ID: 14mm
PROMOBEAM 250 - OD: 53mm - ID: 40mm
SNIPER Sagomatore LED 32W - OD: 25.4mm - ID: 19mm
TITAN - OD: 14.9mm - ID: 8.8mm
VISION 575 - OD: 26.7mm - ID: 22mm
VISION 700 - OD: 45.5mm - ID: 44.8mm
VISUALGOB - OD: 25.7mm - ID: 17mm
Wind tech - OD: 53mm - ID: 38mm
XP 575 - OD: 32mm - ID: 24mm
Zenit 700spot - OD: 27mm - ID: 25mm

PSL

Event 250 - OD: 53mm - ID: 35mm
Event V1300 - OD: 53mm - ID: 35mm
Omniyoke 575 Spot - OD: 27mm - ID: 22mm
Omniyoke Ray 250 - OD: 25mm - ID: 20mm
PROFILE SPOT 1000 - OD: 58.5mm - ID: 47.5mm

QMAXZ LIGHTING QS 250S - OD: 28mm - ID: 21mm

RAZTECH 300 - OD: 50mm - ID: 27mm

REGGIANI Zero zero uno 150W cod 2865 - OD: 40.3mm - ID: 34.1mm

RIDEM GOBO P10 - OD: 35 MM - ID: 26 MM

ROBE

2500 EAT - OD: 37.5mm - ID: 31.5mm
BMFL BLADE - OD: 30.8mm - ID: 25mm
Club Scan 250 CT - OD: 16mm - ID: 13mm
CLUB SPOT 160 CT - OD: 26.8mm - ID: 22mm
Club spot 250 - OD: 26.8mm - ID: 22.5mm
ClubSpot 500 CT - OD: 26.8mm - ID: 22mm
Color mix 150 AT - OD: 26.8mm - ID: 22.5mm
Color Spot 1200 AT - OD: 37.5mm - ID: 31mm
Color Spot 1200 EAT - OD: 37.5mm - ID: 31mm
Color Spot 170 AT - OD: 26.8mm - ID: 22mm
Color Spot 250 AT - OD: 26.8mm - ID: 22mm
Color Spot 2500 e EAT - OD: 37.5mm - ID: 31.5mm
Color spot 575 AT e XT - OD: 26.8mm - ID: 22mm
Colour spot 700 - OD: 26.8mm - ID: 22mm
Dj Scan 150 XT - OD: 16mm - ID: 13mm
Dj Scan 250 XT - OD: 15.9mm - ID: 15mm
Image spot 250 - OD: 37.3mm - ID: 31mm
Mega Pointe - OD: 15.85mm - ID: 12.5mm
MMX 600 - OD: 26.8mm - ID: 22mm
MMX 800 SPOT - OD: 26.8mm - ID: 22mm
MS zoom 250 XT-AT - OD: 37.4mm - ID: 31.5mm
POINTE - OD: 15.85mm - ID: 12.5mm
BMFL Spot - OD: 30.8mm - ID: 25mm

ROBIN - OD: 26.8mm - ID: 22mm
Robin 300E Spot - OD: 26.8mm - ID: 22mm
Robin 600E Spot - OD: 26.8mm - ID: 22mm
Robin DL4S Profile - OD: 26.8mm - ID: 22.5mm
ROBIN DL4S Profile - OD: 26.9mm - ID: 22.5mm
ROBIN DL7S Profile - OD: 30.8mm - ID: 25mm
Robin DLX Spot - OD: 26.8mm - ID: 22mm
Robin MMX Blade - OD: 26.8mm - ID: 22mm
Robin MMX Spot Lyre - OD: 26.8mm - ID: 22mm
Robin Plasma 300 Spot - OD: 26.8mm - ID: 22mm
Scan 1200XT - OD: 49.8mm - ID: 40mm
Scan 250 XT - OD: 26.8mm - ID: 22mm
Scan 575 XT - OD: 26.8mm - ID: 22mm
Spot 150 XT - OD: 26.5mm - ID: 22mm
Spot 160 XT - OD: 26.8mm - ID: 22.5mm
Spot 250 XT - OD: 26.8mm - ID: 22.5mm
Spot 575 XT - OD: 26.8mm - ID: 22.5mm
Viva - OD: 26.8mm - ID: 22mm
XM Zoom 250 XT - OD: 37.3mm - ID: 20mm

ROBERT JULIAT TIBO 500 - OD: 66mm - ID: 48mm

SAGITTER

CLUB SPOT LED 150 - OD: 23.9mm - ID: 15mm
INFINITY 1200 - OD: 66mm - ID: 48mm
INFINITY MSZ - OD: 66mm - ID: 48mm
SCANIC Scanic Astute 575 Pro - OD: 29mm - ID: 22mm

SELECON

Philips accent - OD: 37.5mm - ID: 25mm
PL1 RGBW LeD Zoom Profile - OD: 66mm - ID: 48mm

SELUX OLIVIO - OD: 50mm - ID: 40mm

SGM

G-SPOT LED - OD: 37.5mm - ID: 30mm
G-SPOT PROFILE - OD: 37.5mm - ID: 30mm
Galileo II - OD: 49mm - ID: 35mm
Galileo III - OD: 49mm - ID: 40mm
Galileo IV - OD: 49mm - ID: 40mm
Giotto Profile 400 - OD: 33.9mm - ID: 31mm
Giotto Spot 1200 - OD: 49mm - ID: 40mm
Giotto Spot 1500 - OD: 33.8mm - ID: 29mm
Giotto Spot 250 - OD: 28mm - ID: 20mm
Giotto Spot 400 - OD: 28mm - ID: 20mm
giotto spot 400 cmy - OD: 28mm - ID: 20mm
Giotto Spot 700 - OD: 28mm - ID: 20mm
Idea 575 spot - OD: 28mm - ID: 20mm
Idea 575 spot dal 2011 - OD: 27mm - ID: 22mm
Idea 575 spot mod. 2006 - OD: 26.8mm - ID: 20mm
Idea spot 250 - OD: 26.8mm - ID: 24.5mm
Idea spot 300 - OD: 27mm - ID: 22mm
Idea Spot 575 x line - OD: 28mm - ID: 24mm
Idea Spot 700 (dal 2011) - OD: 27mm - ID: 22mm
Synthesis 700 - OD: 28mm - ID: 24mm
Victory II 250 - OD: 33.9mm - ID: 31mm
X SCAN 575 - OD: 28mm - ID: 24mm
XR 2000 Spot cmy - OD: 27.9mm - ID: 24mm

Commercializzato da:

AMLUX srl - Via Belgio, 11/13 46042 - Castel Goffredo (MN)

Tel. +39 0376781094 www.amlux.it - info@amlux.it

XR 3000 Spot cmy - OD: 27.9mm - ID: 24mm

SHOWTEC

Explorer 250 Basic - OD: 37mm - ID: 29mm
Explorer 250 pro - OD: 37mm - ID: 29mm
Explorer 575 spot - OD: 27mm - ID: 23mm
Explorer 575 spot - OD: 27mm - ID: 23mm
Image spot 25W - OD: 25mm - ID: 18mm
Image spot 300 - OD: 66mm - ID: 36mm
Imagespot 75W - OD: 40mm - ID: 18mm
Indigo 150 LED - OD: 26mm - ID: 19mm
Indigo 4500 - OD: 25.8mm - ID: 20mm
Indigo 4600 - OD: 25.95mm - ID: 19mm
INDIGO 6500 LED - OD: 32.7mm - ID: 26.5mm
Indigo Beam - OD: 25.8mm - ID: 20mm
Indigo Beam MKII - OD: 25.8mm - ID: 20mm
Infinity iB-16R - OD: 15.7mm - ID: 12mm
Infinity iS-100 Led - OD: 26.8mm - ID: 23mm
Infinity iS-200 Led - OD: 29mm - ID: 25mm
Infinity iS-400 Led - OD: 32mm - ID: 26mm
LED Gobo Projector - OD: 23.8mm - ID: 20mm
LED Gobo Projector 25W - OD: 25mm - ID: 18mm
Logo Beam 250 - OD: 53.3mm - ID: 38mm
Phantom 130 Led - OD: 24mm - ID: 21mm
Phantom 140 spot Led - OD: 26.8mm - ID: 22.9mm
Phantom 225 LED spot - OD: 27mm - ID: 23mm
Phantom 225 LED Spot - OD: 27mm - ID: 23mm
Phantom 25 LED Spot - OD: 24mm - ID: 20mm
Phantom 250 Spot - OD: 27mm - ID: 21.5mm
Phantom 50 LED - OD: 24mm - ID: 19mm
Phantom 50 LED PLUS - OD: 24mm - ID: 19mm
Phantom 575 - OD: 27.5mm - ID: 23mm
Phantom 65 LED Spot - OD: 24mm - ID: 21mm
Phantom 75 LED Spot - OD: 24mm - ID: 20mm
Phantom 95 Led - OD: 24mm - ID: 20mm
Phantom130 - OD: 24mm - ID: 21mm
Expression 16000 Spot - OD: 30.5mm - ID: 23mm
SIDIUS 575 work - OD: 27mm - ID: 23mm

SILVER STAR

Cyan 8000xs - OD: 23.7mm - ID: 21mm
Eclipse Mini Led - OD: 37.5mm - ID: 24mm
Indigo 1000 - OD: 25.8mm - ID: 19mm
Indigo 2000 - OD: 25.8mm - ID: 22.8mm
Indigo 3000xs - OD: 25.8mm - ID: 22.8mm
Indigo 4000xs - OD: 32.5mm - ID: 25mm

SOUNDLAB Advertising Projector 75w - OD: 44mm - ID: 32mm

SPOTLIGHT

mini profilo o mini sagomatore - OD: 66mm - ID: 40mm
ProfiLed 100 zs - OD: 66mm - ID: 40mm

STAGE APE Ape Gobo Spot - OD: 48mm - ID: 38mm

STAGELINE

Twist 1200 Monacor - OD: 49.8mm - ID: 45mm

Twist 575 Monacor IMQ - OD: 26.44mm - ID: 25mm

STAIRVILLE

575 S - OD: 31mm - ID: 25mm
FS-X75 LED - OD: 25mm - ID: 20mm
GP 30 W LED - OD: 37.5mm - ID: 30mm
LP-1 - OD: 54mm - ID: 38mm
MH 159 - OD: 26.8mm - ID: 20mm
MH-575 S MK II ProSpot - OD: 26.8mm - ID: 24mm
MH-X 200 Pro Spot - OD: 26.8mm - ID: 22.7mm
MH-X200 - OD: 23.8mm - ID: 19mm
MH-X25 LED - OD: 23.8mm - ID: 20mm
MH-X50 LED - OD: 23.8mm - ID: 16mm
MH-X60 LED - OD: 23.8mm - ID: 16mm
MH250 - OD: 26.5mm - ID: 23mm
SC-X50 LED Scanner - OD: 24mm - ID: 21.5mm
SC-X50 MKII LED Scanner - OD: 23.8mm - ID: 20.5mm

STAIRWAY

SERVOZOOM 10R - OD: 13.7mm - ID: 9mm
MaxSpot 500 - OD: 25.95mm - ID: 19mm
MINIDISPLAY - OD: 38mm - ID: 28mm
SERVOBEAM 10R - OD: 14.9mm - ID: 13mm
SERVOSPOT 600 - OD: 32.75mm - ID: 27mm
SERVOSPOT LYRE 15K - OD: 27mm - ID: 20mm

STUDIO DUE

Shark 150 - OD: 24.5mm - ID: 18mm
Shark 250 - OD: 28.5mm - ID: 18mm
XS Excess 1200 - OD: 37.5mm - ID: 30mm

TECH LIGHTING

Mr 75 - OD: 37.5mm - ID: 25mm
T156 - OD: 51mm - ID: 27mm

TECLUMEN

forte profile - OD: 40mm - ID: 25mm
MINI PONY PROFILE - OD: 66mm - ID: 48mm
Spot 250 - OD: 28mm - ID: 24mm
Spot 575 - OD: 27mm - ID: 24mm

TIMES SQUARE

Gobo 70-150 CDM - OD: 66mm - ID: 48mm
MR75 - OD: 36mm - ID: 25mm
Q3 - OD: 60mm - ID: 46mm

TLS Goboservice DIPAS - OD: 49.4mm - ID: 40mm

TRITON BLUE

Spot Pro 575 - OD: 26.8mm - ID: 22mm
Spot MSR 575 - OD: 26.5mm - ID: 20mm
Spot Pro 700 - OD: 26.8mm - ID: 20mm

VARILITE

VL 1000 - OD: 40.5x40.5mm - ID: 28mm
VL 1100 ts - OD: 40x40mm - ID: 28mm

VARYTEC

Trident Formula - OD: 13.8mm - ID: 8mm
LED Mini Moving Head. - OD: 24mm - ID: 20mm

LED QuadScan - OD: 20.5mm - ID: 12mm
VELLEMAN VDL250GL GOBO/LOGO - OD: 28mm - ID: 25mm

Commercializzato da:

AMLUX srl - Via Belgio, 11/13 46042 - Castel Goffredo (MN)

Tel. +39 0376781094 www.amlux.it - info@amlux.it