







Specialist Projector

88460

Product information

An extensive range of Specialist projector lamps which are precisely manufactured, with tailored filaments optimising source brightness giving high performance in many applications. -High light-generating efficacy to help reduce power consumption and heat generation-Prefocus-type caps or precision rim mounting to position the filament accurately in relation to the optics.

Application areas









26

lumens/watt





Product data

Product Code	88460
Bulb Shape	Tubular
Bulb Diameter [mm]	28.5
Maximum Overall Length [mm]	75
Light Center Length [mm]	36.5
Net weight per piece [g]	20
Gross weight per piece [g]	35
Brand	General Electric (GE)
Cap/Base	GY9.5

Performance data

Weighted energy consumption [kWh/1000h]	507.25
Energy efficiency class (EEC)	С
Rated Life [h]	75
Nominal correlated colour temperature (CCT) [K]]	3200
Nominal lumens [lm]	13000
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Coil type	C-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	500
Nominal lamp voltage [V]	240



88460

Logistic data

DUN Code	10043168884607
EAN Code	0043168884600
Pack Quantity	24
Layer quantity	504 EUR, 600 UK
Layer quantity EUR	504
Layer quantity UK	600
Pallet quantity EUR (PC)	4032
Pallet quantity UK (PC)	4800
Outer case size	170 x 255 x 130 (mm)
Product status	Available

GE Lighting is constantly developing and improving its products. For this reason, all product descriptions in this brochure are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, GE Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.