
TUNGSRAM

Innovation is our heritage EST. 1896







Double Ended Quartzline TU P2/10 Q625T3/4CL 240/250V MIH 19698

Product information

Precision range of double ended Quartzline® lamps widely used in theatre and many other applications. A range from 350 W to 2,000 W with 3200K.

Application areas



Distributed by AMLUX srl, 46042, Castel Goffredo (MN), info@amlux.it, www.amlux.it







Double Ended Quartzline TU P2/10 Q625T3/4CL 240/250V MIH

19698

Product data

Product Code	19698
Bulb Shape	Tubular
Bulb Diameter [mm]	10
Maximum Overall Length [mm]	190.6
Net weight per piece [g]	20
Gross weight per piece [g]	46
Brand	GE Lighting
Cap/Base	R7s

Performance data

16900
625.0
В
300
3200
16900
100

Electrical data

Rated power [W]	625.0
Coil type	C-8
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	625
Nominal lamp voltage [V]	245



Double Ended Quartzline

TU P2/10 Q625T3/4CL 240/250V MIH 19698

Logistic data

DUN Code	00043168196987
EAN Code	0043168196987
Pack Quantity	12
Layer quantity	240 EUR, 300 UK
Layer quantity EUR	240
Layer quantity UK	300
Pallet quantity EUR (PC)	1440
Pallet quantity UK (PC)	1800
Outer case size	338 x 114 x 146 (mm)
Product status	Available

Distributed by AMLUX srl, 46042, Castel Goffredo (MN), info@amlux.it, www.amlux.it

