



1320
kWh/1000h

A+
energy class

92
lumens/watt

Discharge - Single Ended Hot Restrike

CSR 1200 SE/HR/UV- C
27764

Product information

Compact, single ended metal halide hot restrike lamps for a variety of applications requiring high luminance, reliability and excellent colour characteristics. Excellent colour rendering, Ra>90, and high CCT 5600–6000 K with superior colour stability- Universal burn position with hot restrike capability- High efficiency with excellent lumen maintenance

Application areas



Film and Broadcast



Product data

Product Code	27764
Light Center Length [mm]	107
Bulb Shape	Globe
Bulb Finish	Clear
Bulb Diameter [mm]	42
Maximum Overall Length [mm]	200
Arc Gap	10
Net weight per piece [g]	390
Gross weight per piece [g]	440
Operating position	U - Universal
Brand	GE Lighting
Cap/Base	G38

Performance data

Colour Code	956
Rated Lumens [lm]	110000
Weighted energy consumption [kWh/1000h]	1320.0
Energy efficiency class (EEC)	A+
Nominal chromaticity coordinate X	0.333
Nominal chromaticity coordinate Y	0.333
Nominal correlated colour temperature (CCT) [K]	6000
Nominal lumens [lm]	110000
Colour Rendering Index (CRI) [Ra]	90

Electrical data

Rated power [W]	1200.0
Lamp Current [A]	12
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	1200
Nominal lamp voltage [V]	100

Logistic data

DUN Code	10043168277645
EAN Code	0043168277648
Pack Quantity	6
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	48 EUR, 72 UK
Layer quantity EUR	48
Layer quantity UK	72
Pallet quantity EUR (PC)	240
Pallet quantity UK (PC)	360
Outer case size	280 x 190 x 305 (mm)
Product status	Available

Disclaimer

Special Purpose Lamp, Not suited for household illumination

Distributed by AMLUX srl, 46042, Castel Goffredo (MN), info@amlux.it, www.amlux.it



Tungfram is a registered trademark of
Tungfram Operations Kft.

We in Tungfram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungfram cannot accept any liability arising from the reliance on such data to the extent permitted by law.