

INSPECTION LAMP

LEDinspect HEADLAMP 300 | Inspection lamps

Areas of application

- Inspection and maintenance of vehicles at home



Product benefits

- 2 year guarantee
- 300 lm LED headluminaire with red flashing warning function as rear light
- Excellent illumination thanks to long-lasting high intensity LEDs
- Keeps your hands free thanks to headband

Product features

- Integrated battery storage
- Voltage: 4.5 V
- Wattage: 3 W
- Type of protection: IP64
- Impact resistance: IK07
- Size adjustable headband for good stability (65 cm length)
- Equipped with a high-quality, long-lasting LED
- Available with color temperature: 6,500 K, 7,500 K (front light)
- Available with color temperature: 1,000 K, 2,000 K (rear light)
- Intense white light
- Luminous flux: up to 300 lm (when 100 % bright), up to 60 lm (when 20 % bright)
- Angle adjustment of 75 % for front luminaire possible
- 100 % bright light for 2...3 h, 20 % bright light for up to 10 h
- On/flash/off mode switch controllable via separate switch


Product datasheet

Technical data

Photometrical data

Color temperature	7000 K
-------------------	--------

Dimensions & weight



Length	82.0 mm
--------	---------

Product datasheet

Equipment / Accessories

- 3 AA dry batteries included

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899425033	INSPECTION LAMP	Blister 1	- x - x -		
4052899425040	INSPECTION LAMP	Shipping carton box 4	342 mm x 238 mm x 294 mm	23.93 dm ³	1687.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Legal advice

Not approved for use as lighting in road traffic.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
