



GE  
Lighting



Single Ended Halogen - HPL  
HPL 575W LL 240V

**88475**

## Product information

HPL lamps were developed using GE Six Sigma process, these lamps encompass modern halogen technology and high production standards. HPL optical system for superior field smoothness and cosine distribution- Integral heat sink base reduces seal temperature, increases durability and maximises life- Shock resistant filament array and patented gas chemistry minimises arc-out risk during alignment and focusing.



## Product data

Cap/Base	Special
Bulb Shape	Tubular
Bulb Diameter [mm]	19
Maximum Overall Length [mm]	106
Light Center Length [mm]	60.3
Net weight per piece [g]	54
Gross weight per piece [g]	73
Brand	General Electric (GE)

## Performance data

Colour Rendering Index (CRI) [Ra]	100
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	11800
Energy efficiency class (EEC)	D
Rated Life [h]	1500
Nominal power [W]	575
Nominal lamp voltage [V]	240

## Electrical data

Weighted energy consumption [kWh/1000h]	591.13
Coil type	6C-8
Ballast Required	No

## Logistic data

DUN Code	10043168884751
EAN Code	0043168884754
Pack Quantity	12
Layer quantity	468 EUR, 588 UK
Layer quantity EUR	468
Layer quantity UK	588
Pallet quantity EUR (PC)	3276
Pallet quantity UK (PC)	4116
Outer case size	175 x 135 x 138 (mm)
Product status	Available

## Application areas



Theatre

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)[Entertainment Solution Spectrum Catalogue \(PDF\)](#)[Lighting design tools & calculators \(HTTP\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination