



Halogen High Voltage SE (Film/Studio)

6994Z 2000W G38 240V 1CT/10

The high, constant output and consistent color temperature of these single ended halogen lamps ensure attractive, accurately exposed pictures for both film and video. Furthermore, these lamps incorporate the highly innovative P3 technology, developed by Philips. This allows the lamps to be used at higher temperatures, which extends overall lifetime and consistency of their high-quality light output. P3 technology also allows the lamp to be used in any burning position and enables more compact designs of fixtures. In addition, the very wide choice of dimensions and power ratings opens new levels of creative freedom for the luminaire designer.

Product data

General Information						
Cap-Base	G38 [G38] 6994Z FKK-FKP					
Philips Code						
ANSI Code						
LIF Code	CP/73 (CP/41)					
Operating Position	S90 [Standing +/-90D or Base Down (BDH)]					
Main Application	Entertainment					
Life To 50% Failures (Nom)	480 h					
System Description	-					
Light Technical						
Luminous Flux (Rated) (Nom)	50000 lm					
Correlated Color Temperature (Nom)	3200 K					

Operating and Electrical				
Power (Rated) (Nom)	2000 W			
Rapid Acting HBC Fuse	16 V			
Voltage (Nom)	240 V			
Controls and Dimming				
Dimmable	Yes			
Mechanical and Housing				
Bulb Finish	Clear			
Filament Shape	Bi-Plane			
Filament Dimensions WxH	18x18			


Datasheet, 2016, December 21 data subject to change

Halogen High Voltage SE (Film/Studio)

Luminaire Design Requirement	nts
Pinch Temperature (Max)	400 °C
Product Data	
Full product code	871150018658425
Order product name	6994Z 2000W G38 240V 1CT/10
EAN/UPC - Product	8711500186584

Order code	923891145548			
Numerator - Quantity Per Pack	1			
Numerator - Packs per outer box	10			
Material Nr. (12NC)	923891145548			
Net Weight (Piece)	0.025 kg			

Dimensional drawing



6994Z 2000W G38 240V

Product	D	Н	W	L	С	Р	Р	R	K
6994Z 2000W	40	18.5	17	127	210	11.23	10.97	38.1	23.96
G38 240V	mm	mm	mm	mm	mm	mm	mm	mm	mm
1CT/10									

