

93653 250 W 24 V

Halogen lamps with reflector MR16

Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)

Technical data

Electrical data


Nominal voltage	24 V
Nominal wattage	250 W

Light technical data

Focal length	32.0 mm
--------------	---------

Dimensions & weight

Diameter	51.0 mm
Length	44.5 mm



Product line drawing



Base



Base

Lifespan

Lifespan	300 h
----------	-------

Additional product data

Base (standard designation)	GX5.3
Coating	Dichroic

Capabilities

Cooling	Forced
---------	--------

Country specific categorizations

Order reference	93653
-----------------	-------



Burning position

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4050300636450	Folding carton box 1	48 mm x 44 mm x 56 mm	30.00 g	0.12 dm ³
4050300636467	Shipping carton box 24	152 mm x 137 mm x 193 mm	900.00 g	4.02 dm ³

References / Links

For further technical information please refer to the following OSRAM brochure:

“Technology and applications, Low-voltage tungsten-halogen lamps”

“Halogen lamps, low and medium voltage for entertainment, technical and medical applications” cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.