

64637 100 W 12 V

Halogen lamps with reflector MR16



Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)


Technical data

Electrical data

Nominal voltage	12 V
Nominal wattage	100 W

Dimensions & weight

Diameter	51.0 mm
Length	42.0 mm



Product line drawing

Lifespan

Lifespan	1500 h
----------	--------

Additional product data

Base (standard designation)	GZ6.35
Coating	Dichroic

Country specific categorizations

Order reference	64637
------------------------	-------



Burning position

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321352071	Folding carton box 1	46 mm x 46 mm x 58 mm	36.00 g	0.12 dm ³
4008321352088	Shipping carton box 20	106 mm x 122 mm x 238 mm	796.00 g	3.08 dm ³
4050300291970	Folding carton box 1	46 mm x 46 mm x 58 mm	36.00 g	0.12 dm ³
4050300292052	Shipping carton box 50	- x - x -		

References / Links

For further technical information please refer to the following OSRAM brochure:

“Technology and applications, Low-voltage tungsten-halogen lamps”

“Halogen lamps, low and medium voltage for entertainment, technical and medical applications” cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.