



PAR 46 4537-2 13.0V

40822

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent







Product data

Cap/Base	Screw terminal
Bulb Shape	PAR
Bulb Diameter [mm]	146
Maximum Overall Length [mm]	80
Net weight per piece [g]	408
Gross weight per piece [g]	410
Brand	General Electric (GE)

Performance data

Nominal beam angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	200000
Nominal power [W]	100
Nominal lamp voltage [V]	13

Electrical data

Lamp Current [A]	7.69
Coil type	C-6
Ballast Required	Yes






Logistic data

DUN Code	00043168408226
Pack Quantity	12
Layer quantity	144 EUR, 1 UK
Layer quantity EUR	144
Layer quantity UK	1
Pallet quantity EUR (PC)	288
Pallet quantity UK (PC)	576
Outer case size	270 × 259 × 389 (mm)
Product status	Available

Application areas



Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

Disclaimer

Special Purpose Lamp, Not suited for household illumination