



GE
Lighting



PAR 64

4552 28.0V

40576

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
 - Choice of beam widths
 - Excellent colour rendering
 - High efficiency combined with low operating costs
 - Robust and reliable
 - UV control
 - Easy retrofit
 - Colour consistent throughout life
 - Colour blends with halogen and fluorescent
-



Product data

Cap/Base	Screw terminal
Bulb Shape	PAR
Bulb Diameter [mm]	203.2
Maximum Overall Length [mm]	152.4
Net weight per piece [g]	866
Gross weight per piece [g]	962
Brand	General Electric (GE)

Performance data

Nominal beam angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	500000
Nominal power [W]	250
Nominal lamp voltage [V]	28

Electrical data

Lamp Current [A]	8.93
Coil type	CC-8
Dimming Capability	Yes
Ballast Required	Yes

Logistic data

DUN Code	00043168405768
EAN Code	0043168405768
Pack Quantity	12
Layer quantity	108 UK
Layer quantity UK	108
Pallet quantity EUR (PC)	1520
Pallet quantity UK (PC)	108
Outer case size	384 x 354 x 551 (mm)
Product status	Available

Application areas



Club and Disco

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination