

Architectural MSD

MSD 1200.1CT/3



The high luminous efficacy and optimal lamp filling of the single ended Architectural MSD lamps create high beam intensity and excellent color rendering. While the compact arc of the lamp allows efficient beam control and high intensity. Ideal to illuminate architecture of all types at night.

Product data

• General Information

Cap-Base	G22 [G22]
Operating Position	UNIVERSAL [Any or Universal (U)]
Main Application	Studio/Disco
Life To 50% Failures (Nom)	2000 h
System Description	-

• Light Technical

Color Code	- [Not Specified]
Luminous Flux (Nom)	92000 lm
Chromaticity Coordinate X (Nom)	323
Chromaticity Coordinate Y (Nom)	328
Correlated Color Temperature (Nom)	6000 K
Luminous Efficacy (rated) (Nom)	78 lm/W
Color Rendering Index (Nom)	80

• Operating and Electrical

Power (Rated) (Nom)	1200 W
Lamp Current (Nom)	13.8 A
Ignition Supply Voltage (Min)	207 V

• Controls and Dimming

Dimmable	No
----------	----

• Mechanical and Housing

Cap-Base Information	30 mm x 53 mm
----------------------	---------------

• Luminaire Design Requirements

Bulb Temperature (Max)	600 °C
Pinch Temperature (Max)	350 °C

• Product Data

Full product code	872790091135000
Order product name	MSD 1200.1CT/3
EAN/UPC - Product	8727900911350
Order code	928172005114
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	3
Material Nr. (12NC)	928172005114
Net Weight (Piece)	0.156 kg


PHILIPS

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and

remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Dimensional drawing





1200 G22

MSD 1200

Product	D	O	L	L	L	C	F	F	F
MSD 1200.1CT/3	42.5 mm	14.0 mm	84 mm	86 mm	85 mm	183 mm	54 mm	53 mm	52 mm



Photometric data





© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, July 10
data subject to change