

HSR 575 W/72

HSR | Metal halide lamps



Areas of application

- Entertainment
- Architainment

Product benefits

- Outer bulb for ease of handling

Product features

- Single-ended lamps similar to HTI lamps



Product datasheet

Technical data


Electrical data

Nominal wattage	575 W
Nominal voltage	97.5 V
Lamp voltage	95 V
Nominal current	7.00 A
Lamp current	6.1 A

Photometrical data

Nominal luminous flux	49000 lm
Luminance	10000 cd/cm ²
Color temperature	7200 K

Dimensions & weight



Diameter	30.0 mm
Length	125.0 mm
Light center length (LCL)	65.0 mm

Lifespan

Lifespan	1000 h
----------	--------

Additional product data

Base (standard designation)	GX9.5
-----------------------------	-------

Capabilities

Burning position	hs30
------------------	------

Certificates & standards

Product datasheet

EEL – Energy Label

B

Product datasheet

Safety advice

Because of their high luminance, UV radiation and high internal pressure during operation, HSR lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions. HSR lamps are not capable of hot restarts.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321625908	HSR 575 W/72	Folding carton box 1	173 mm x 57 mm x 57 mm	0.56 dm ³	98.00 g
4008321625915	HSR 575 W/72	Shipping carton box 10	295 mm x 209 mm x 139 mm	8.57 dm ³	1324.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.